

## GREEN G2 0W20



A modern, synthetic, fuel economy motor oil based on special selected synthetic base oils with a high viscosity index and a well balanced choice of advanced additives to obtain the following properties:

- a lower fuel consumption
- a high and very stable viscosity index
- a high resistance against shearing
- a fast cold start
- a very strong resistance against oxidation
- a safe lubrication film at very high temperatures
- a very good detergency and dispersion
- a very strong protection against wear, corrosion and foaming



### APPLICATIONS

A fuel economy, special composed synthetic motor oil recommended for use in petrol engines of passenger cars, which prescribe an oil with the specification GM dexos1™ Gen 2

### PERFORMANCE LEVEL

- **API: SN Plus**
- **API: SP/RC**
- **API: SN/RC**
- **API: SP**
- **ILSAC: GF-5**
- **ILSAC: GF-6A**
- **GM: DEXOS 1 (TM) GEN 2**
- **CHRYSLER: MS6395**
- **FIAT 9.55535-CR1**
- **FIAT 9.55535-GSX**
- **FORD: WSS-M2C945-A**
- **FORD: WSS-M2C946-A**
- **FORD: WSS-M2C947-A**
- **FORD: WSS-M2C962-A**

### CHARACTERISTICS

	Unit	Average Value
Density at 15°C	kg/l	0.843
Viscosity 40°C	mm <sup>2</sup> /s	44.00
Viscosity 100°C	mm <sup>2</sup> /s	8.60
Viscosity -35°C	mPas	4940
Viscosity index		178
Flash point COC	°C	222
Pour point	°C	-39
Total base number	mgKOH/g	8.5
Sulphated ash content	%	0.89

### PEN1ONE

Ardeca NV- Oudenaardestraat 49 • 8570 Vichte • Belgium • T +32 56 72 62 29 • F +32 56 72 67 37 • E info@pen1one.be

We reserve the right to change the general characteristics of our products in order to allow our customers to benefit from the latest advances in technology.

---

**PEN1ONE**

Ardeca NV- Oudenaardestraat 49 • 8570 Vichte • Belgium • T +32 56 72 62 29 • F +32 56 72 67 37 • E [info@pen1one.be](mailto:info@pen1one.be)